"COMPLIANCE WITH THE NEO-BFHI TEN STEPS AND THE CODE IN NINE NEONATAL UNITS IN BRAZIL"

Presenting author: Edilaine Giovanini Rossetto

Email: ediluizrossetto@gmail.com



Co-author's names and affiliations:

Carmen Gracinda Silvan Scochi; Thaíla Corrêa Castral; Kerstin H. Nyqvist; Laura N. Haiek; Ana Paula Lima; Marcia Helena Nascimento; Ariane Thaise Alves Monteiro

NATIONAL POLICY: PROMOTION, PROTECTION AND SUPPORT TO BREASTFEEDING

Il Propini di Providenti di
Aleitamento
Materno
ani Opini bia di Iliano
ani Di Ili

Primary care
Breastfeeding Network
Brazil





National Research of Prevalence of BF

PROMOTION,
PROTECTION
AND SUPPORT TO
BREASTFEEDING





Marketing



Para você é leile, para a criança é vida.
Doe leite, a vida agradece.

Como franco.

C

Legal Protection to Breastfeeding

Human Milk Bank Network





Prevalence of Breastfeeding in the First Hour of Life 1996, 2006

BRAZIL: 1996: 32,8%

2006: 43,0%

1996 2006

- North: 42,7% 53,6%

- Northeast: 7,3% 51,4%

– Southeast: 37,7%

- South: 24,1% 35,6%

- Middle west: 29,5% 39,7%



Breastfeeding Prevalence in the First Day of Life - PNDS 1996, 2006

BRAZIL: 1996: 70,8%

2006: 99,5%





1996 2006

- North: 80,4% 99,2%


- Northeast: 65,7% 99,1%

– Southeast: 99,9%


- South: 81,2% 99,5%

- Middle west: 73,2% 99,5%

Breastfeeding Duration Median BRAZIL – 1975-2006



NATIONAL MONITORING



- **1**988
- 119.806 children under 1 year266 cities
 - 2008
 - 34.366 children under 1 year26 state capitals





Breastfeeding in the First Hour of Life – State Capitals 2008

Brazil: 67,7%

Salvador: 58,5%

São Luís: 83,5%






Exclusive Breastfeeding Under 6 Months – CAPITALS, 2008

Brazil: 41,0%

Belém: 56,1%

Cuiabá: 27,1%






Median Duration of Exclusive Breastfeeding— CAPITALS, 2008

Brazil: 54,1 days


Belém: 88,8 days

Cuiabá: 0,74 days






DURAÇÃO MEDIANA DO ALEITAMENTO MATERNO – CAPITAIS E DF




II Propries de Preveillenia de Aleitamento Materno na Copilato Positivos reducidos de Copilato Positivos reducidos reducidos de Copilato Positivos reducidos r

Median Duration of Breastfeeding / Region, 2008





Tendence Pacifiers Use- CAPITALS - 1999→ 2008






BACKGROUND

BFHI in Brazil (since 1992)



Credenciamento dos Hospitais Amigo da Criança Evolução Brasil




Hospitais descredenciados


2002 - 01 2006 - 06 2007 - 04

Fonte: Ministério da Saúde Área Técnica de Saúde da Criança e Aleitamento Materno

BFHI BRAZIL / REGIONS, 2010



BIRTHS COVERAGE IN BFHI



North: 25%

Northeast: 32%

Middle west: 38%

Southeast: 21%

South: 38%

Brazil: 25%












KMC TUTORS. BRAZIL 2009-2010



Human Milk Bank





We have HMB in 100% of Brazilian states

n 2007 e 2008, it was collected 149.000

liters each year.

160000 children were benefited in 2008

113000 donators women, 2008



Miss donator - 2009



IN BRAZIL

The implementation of the BFHI's expansion to neonatal intensive care units (NICUs) or Neo-BFHI (2014)

- Multicenter research
- With a control group and independent variable (the neo-BFHI intervention)



 Funding: MCTI/ CNPq/ MS/ SCTIE/ Decit/ Bill e Melinda Gates Foundation



MAIN GOAL

 The purpose of this project using the PARIHS (Promoting Action on Research Implementation in Health Services) knowledge translation model and the "bottom up" EPIC (Evidence Based Practice Identification and Change) knowledge translation strategy is to implement and test the effectiveness of the expansion of Baby Friendly Hospital Initiative for Neonatal Wards (neo-BFHI).





OBJECTIVE

 To obtain a baseline/pre-intervention measure of compliance with the Neo-BFHI Ten Steps and the Code in nine hospitals across different regions of Brazil already designated BFHI.





METHOD

 Four computer-based tools developed to measure Neo-BFHI policies and practices were used to observe experimental and control NICUs.

- Interview randomly selected:
 - ✓ Managers (N=16)
 - ✓ Staff (N=338) and
 - ✓ Mothers (N=205)





RESULTS




Figure 1: The mean Neo-BFHI Ten Steps Compliance Score for the nine hospitals and Brazil.



RESULTS




Figure 2: The overall average score of adherence to Code Compliance Neo-BFHI in nine hospitals and Brazil.



RESULTS




Figure 3: The overall average score of adherence to Ten Steps Neo-BFHI in Brazil.



CONCLUSION

These results will help:

IDENTIFY THEIR NEEDS

SET GOALS

PLAN INTERVENTIONS

To successfully implement the policies and practices outlined in the Neo-BFHI.

Recife Brasilia Rio de Janeiro Foz do Iguaçu

Muito obrigada

Melcome!